

Parasitoid wasps

Noctuid caterpillars 1

Large & small sp. of caterpillars reared in the
darker parts of Hydrocarbons. -

1. These names of these specimens:

Treatments: Nidolids; Eim locality.

Neodiplosis
Annelid

Entomology of many. V.A. Hubert's sample - Annelidology.
Section in the space. Lg' 10 mm. 4' exposed.

Proct. Nidulid to diplosis & on caterpillars.
Annelid with - larvae via Neodiplosis
Lg' 2-3 mm. 4' shown in 3 sections of the
valley Neodiplosis by 10 mm. -
(Annelidology). -

1.- G. E. Hubert's report by 1. 12. 1941
Report. E. J. G. 1. - Neodiplosis

Cy. 4. Dissection 10/.

Neodiplosis edgely
in 11 Nov 41 the Kibana
at base ~~of~~ 136 Xy. log,
White. (see G. Hubert's
950 Xy. L. in 210. 43 Xy.!)

202

To: [unclear] = old
note to [unclear] 12/1/42

Medula (Kerosene) dihidro:

Arum: 800 ml (0,1% vol)
BES (Aromatik)
Kerosen dihidrokan eflor p/kan
m = 1000 g / 1000 ml =
B. b. = 1000.

Neurolysis
Hydrolysis

Arum: 800 ml (0,1% vol)
BES (Aromatik)
Kerosen dihidrokan eflor p/kan
m = 1000 g / 1000 ml =
B. b. = 1000.

Kopu la ukha 1/0 dihidro. Mpi' eflor
di p/kan eflor.

Procurid' Surp/kan - 1.

Mpi' Arum i' kawatko (0,1% vol)
m = 1000 g / 1000 ml =

Mula Neuro: Eflor di p/kan eflor

Arum - Arum - eflor
Ked. - Mapi - eflor (0,1% vol).

Surp/kan Solu' eflor (Arum)
Surp/kan.

Picini' cupu m' can reed, sey -
n' unshel' ofog. - ne on s.

Picini' ree unshel' in Texu. Entour
ned' of unshel' by the bank.

unshel' by reed, sey -

unshel' ree. -

lyre - Anzangy: In' unshel' sey.

Αδελφ. Μωυσ. Μπαλαμάν: Ακαδημία Δίπλωμα
Συντάκτης: Σπυρίδης Α. Νίτζης & συντάκτης.

